






DIMENSIONS ARE IN INCHES/LBS UNLESS OTHERWISE SPECIFIED.
DIMENSIONS IN PARENTHESIS ARE FOR REFERENCE ONLY
TOLERANCES: ANGULAR; MACH! 1 ". BENO! 1 ": TWO DECIMALS ! .03;
THREE DECIMAL ! .010; THREE DECIMALS FOR LASER ! .005.



FFU VS250

FiltrationGroupIAQ.com

Rev	SC	Date:	10/23/2018	Drawing Number:	Revision:
App	VM	Date:	10/23/2018	SD-VS250	A

SPECIFICATION INFORMATION

Customer Information: _____

Item Number: _____

For Non-Standard Sizes, Please Consult the Factory.

_____ (H) X _____ (W) X _____ (D)

Please Specify Size as Nominal or Exact _____

SPECIFIED OPTIONS


Customer Initial and Date for Product Specification

OPTIONS

- ☐ 316 Stainless Steel
- ☐ Aluminum
- ☐ Anti-Microbial White Epoxy Finish
 - ☐ other color _____
- ☐ HEPA-Iert Filter load Indicator Light
- ☐ (1) Pressure Port
- ☐ (2) Pressure Ports
- ☐ Aerosol Challenge Manifold
- ☐ Rectangle Inlet _____
- ☐ Oval Inlet
- ☐ ULPA Filter
- ☐ 208 / 240 VAC
- ☐ 277 VAC

CONTROLS

- ☐ Standard - Adj/Display on Face
- ☐ 0-10VDC Input
- ☐ Basic Wall Control (One per unit)
- ☐ Local Area Network
Number of units _____
- ☐ Touchscreen / Network



DUCT COLLAR KIT
(OPTIONAL)

PRE-FILTER KIT
(OPTIONAL)

PAO CHALLENGE
SYSTEM

ELECTRICAL BOX
TOP-SIDE ACCESSIBLE

EC MOTORIZED
BACKWARD CURVED
COMPOSITE IMPELLER
ROOM-SIDE ACCESSIBLE

HEPA FILTER
99.99% @ 0.3μ
ROOM-SIDE-
REPLACEABLE

DIMENSIONS IN INCHES/LBS UNLESS OTHERWISE SPECIFIED.
DIMENSIONS IN PARENTHESIS ARE FOR REFERENCE ONLY
TOLERANCES: ANGULAR: 1°; BEND: 1°; TWO DECIMALS: .03;
THREE DECIMALS: .010; THREE DECIMALS FOR LASER: .005.



FFU VS250

hvac.filtrationgroup.com

Rev	SC	Date:	10/23/2018	Drawing Number:	Revision:
App	VM	Date:	10/23/2018	SD-VS250	A

SPECIFICATION INFORMATION

Customer Information: _____

Item Number: _____


For Non-Standard Sizes, Please Consult the Factory.

_____ (H) X _____ (W) X _____ (D)


Please Specify Size as Nominal or Exact _____

SPECIFIED OPTIONS

Customer Initial and Date for Product Specification



FACE HIDDEN FOR CLARITY



DIMENSIONS ARE IN INCHES/LBS UNLESS OTHERWISE SPECIFIED.
 DIMENSIONS IN PARENTHESIS ARE FOR REFERENCE ONLY
 TOLERANCES: ANGULAR; MACH; 1"; BEND; 1"; TWO DECIMALS; .03;
 THREE DECIMAL; .010; THREE DECIMALS FOR LASER; .005.



FFU VS250

hvac.filtrationgroup.com

Rev	SC	Date:	10/23/2018
App	VM	Date:	10/23/2018

Drawing Number:

SD-VS250

Revision:

A

SPECIFICATION INFORMATION

Customer Information: _____

Item Number: _____


For Non-Standard Sizes, Please Consult the Factory.

_____ (H) X _____ (W) X _____ (D)


Please Specify Size as Nominal or Exact _____

SPECIFIED OPTIONS

Customer Initial and Date for Product Specification



DIMENSIONS ARE IN INCHES/LBS UNLESS OTHERWISE SPECIFIED.
 DIMENSIONS IN PARENTHESIS ARE FOR REFERENCE ONLY
 TOLERANCES: ANGULAR; MACH: 1°. BEND: 1°; TWO DECIMALS ±.03;
 THREE DECIMAL ±.010; THREE DECIMALS FOR LASER ±.005.



FFU VS250

hvac.filtrationgroup.com

Rev	SC	Date:	10/23/2018	Drawing Number:	Revision:
App	VM	Date:	10/23/2018	SD-VS250	A

SPECIFICATION INFORMATION

Customer Information: _____

Item Number: _____

For Non-Standard Sizes, Please Consult the Factory.

_____ (H) X _____ (W) X _____ (D)

Please Specify Size as Nominal or Exact _____

SPECIFIED OPTIONS

Customer Initial and Date for Product Specification